

CDISC ADaM Controlled Terminology, 2019-03-29

Source: NCI EVS Terminology Resources website: <http://www.cancer.gov/cancertopics/cancerlibrary/terminologyresources/cdisc>

NCI Code	CDISC Submission Value	Codelist Name	CDISC Definition	Codelist Extensible
C117745	ANLPURP	Analysis Purpose	Purpose of a specific analysis result described in ADaM analysis results metadata.	Yes
C117744	ANLREAS	Analysis Reason	Reason for reporting a specific analysis result described in ADaM analysis results metadata.	Yes
C81223	DATEFL	Date Imputation Flag	Date Imputation Flag: Indicates the level of imputation reflected in a date value.	No
C81224	DTYPE	Derivation Type	Derivation Type: Analysis value derivation method.	Yes
C158114	GDS02PC	Geriatric Depression Scale Short Form Questionnaire Parameter Code	A parameter code codelist for the Geriatric Depression Scale Short Form questionnaire (GDS02) to support the calculation of total score in ADaM.	No
C158115	GDS02PN	Geriatric Depression Scale Short Form Questionnaire Parameter Name	A parameter name codelist for the Geriatric Depression Scale Short Form questionnaire (GDS02) to support the calculation of total score in ADaM.	No
C81225	PARAMTYP	Parameter Type	Parameter Type: Indicates whether the parameter is derived as a function of one or more other parameters.	No
C124296	SBJTSTAT	Subject Trial Status	Indicates the status of the subject in the trial.	Yes
C81226	TIMEFL	Time Imputation Flag	Time Imputation Flag: Indicates the level of imputation reflected in a time value.	No

ANLPURP (Analysis Purpose)

NCI Code: C117745, Codelist extensible: Yes

C117745 ANLPURP				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C98724	EXPLORATORY OUTCOME MEASURE	Exploratory Outcome Measure	Exploratory measures that will be used to evaluate the intervention(s) or, for observational studies, that are exploratory of the study.	Exploratory Outcome Measure
C98772	PRIMARY OUTCOME MEASURE	Primary Outcome Measure	The primary measurement(s) or observation(s) used to measure the effect of experimental variables in a study, or for observational studies, to describe patterns of diseases or traits or associations with exposures, risk factors or treatment. These are the outcome measures used to assess the primary objective(s).	Primary Outcome Measure
C98781	SECONDARY OUTCOME MEASURE	Secondary Outcome Measure	Secondary measures that will be used to evaluate the intervention(s) or, for observational studies, that are a focus of the study. These are the outcome measures used to assess the secondary objective(s).	Secondary Outcome Measure

ANLREAS (Analysis Reason)

NCI Code: C117744, Codelist extensible: Yes

C117744 ANLREAS				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C117750	DATA DRIVEN		The analysis was triggered by findings in the data.	Data Driven Analysis
C117751	REQUESTED BY REGULATORY AGENCY		The analysis has been requested by a regulatory agency.	Analysis Requested by Regulatory Agency
C117752	SPECIFIED IN PROTOCOL		The analysis is specified in a protocol.	Analysis Specified in Protocol
C117753	SPECIFIED IN SAP		The analysis is specified in a statistical analysis plan.	Analysis Specified in Statistical Analysis Plan

DATEFL (Date Imputation Flag)

NCI Code: C81223, Codelist extensible: No

C81223 DATEFL				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C81212	D		Day Imputed: Day is imputed.	Day Imputed
C81211	M		Month Imputed: Month and day are imputed.	Month Day Imputed
C81210	Y		Year Imputed: Entire date (year, month and day) is imputed.	Year Month Day Imputed

DTYPE (Derivation Type)

NCI Code: C81224, Codelist extensible: Yes

C81224 DTYPE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C81209	AVERAGE		Average: A data derivation technique which calculates a subject's average value over a defined set of records.	Average of Value Derivation Technique
C92225	BC		Best Case: A data imputation technique which populates missing values with the best possible outcome.	Best Case Imputation Technique
C81201	BLOCF		Baseline Observation Carried Forward: A data imputation technique which populates missing values with the subject's nonmissing baseline observation.	Baseline Observation Carried Forward Imputation Technique
C132340	BOC		Best Observed Case: A data imputation technique which populates analysis values with the best outcome recorded within a subject.	Best Observed Case Imputation Technique
C92226	BOCF		Best Observation Carried Forward: A data imputation technique which populates missing values with the subject's previous best-case nonmissing value.	Best Observation Carried Forward Imputation Technique
C82866	ENDPOINT		Endpoint: A data derivation technique which populates a subject's analysis end point value.	Endpoint Value Derivation Technique
C139176	EXTRAP		A method of imputation involving populating an analysis value that is outside the range of observed values and is estimated by a function of those observed values.	Extrapolation Imputation Technique
C81208	INTERP		Interpolation: A method of imputation involving a missing value that is between known values and is estimated by a function of those known values.	Interpolation Imputation Technique
C81198	LOCF		Last Observation Carried Forward: A data imputation technique which populates missing values with the subject's previous nonmissing value.	Last Observation Carried Forward Imputation Technique
C132341	LOV		Last Observed Value: A data imputation technique which populates analysis values with the subject's last recorded nonmissing observation.	Last Observed Value Imputation Technique
C132342	LVPD		Last Value Prior to Dosing: A data imputation technique which populates missing values with the subject's last observed value prior to the start of study treatment.	Last Value Prior to Dosing Imputation Technique
C82868	MAXIMUM		Maximum: A technique which populates an analysis value with a subject's maximum value over a defined set of records.	Maximum Value Derivation Technique
C82867	MINIMUM		Minimum: A technique which populates an analysis value with a subject's minimum value over a defined set of records.	Minimum Value Derivation Technique
C53331	ML		Maximum Likelihood: A data imputation technique which populates missing values with estimates that maximize the probability of observing what has in fact been observed.	Maximum Likelihood Estimation
C81204	MOTH		Mean of Other Group: A data imputation technique which populates missing values with the mean value from a comparator or reference group.	Mean of Other Group Imputation Technique
C81207	MOV		Mean Observed Value in a Group: A data imputation technique which populates missing values with the mean value observed in a group of subjects.	Mean Observed Value in a Group Imputation Technique
C81205	POCF		Penultimate Observation Carried Forward: A data imputation technique which populates missing values with the subject's next-to-last nonmissing value.	Penultimate Observation Carried Forward Imputation Technique
C81200	SOCF		Screening Observation Carried Forward: A data imputation technique which populates missing values with the subject's nonmissing screening observation.	Screening Observation Carried Forward Imputation Technique
C81203	WC		Worst Case: A data imputation technique which populates analysis values with the worst possible outcome.	Worst Case Imputation Technique
C132343	WOC		Worst Observed Case: A data imputation technique which populates analysis values with the worst recorded outcome within a subject.	Worst Observed Case Imputation Technique
C81199	WOCF		Worst Observed Value Carried Forward: A data imputation technique which populates missing values with the subject's worst-case nonmissing observation.	Worst Observation Carried Forward Imputation Technique

C81224 DTYPE				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C81206	WOV		Worst Observed Value in a Group: A data imputation technique which populates missing values with the worst value observed in a group of subjects.	Worst Observed Value in a Group Imputation Technique

GDS02PC (Geriatric Depression Scale Short Form Questionnaire Parameter Code)

NCI Code: C158114, Codelist extensible: No

C158114 GDS02PC				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C158155	GDS02TS	GDS02-Total Score	Geriatric Depression Scale Short Form - Total score.	Geriatric Depression Scale Short Form - Total Score

GDS02PN (Geriatric Depression Scale Short Form Questionnaire Parameter Name)

NCI Code: C158115, Codelist extensible: No

C158115 GDS02PN				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C158155	GDS02-Total Score	GDS02-Total Score	Geriatric Depression Scale Short Form - Total score.	Geriatric Depression Scale Short Form - Total Score

PARAMTYP (Parameter Type)

NCI Code: C81225, Codelist extensible: No

C81225 PARAMTYP				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C81197	DERIVED		Derived: Indicates that a parameter is derived as a function of one or more other parameters.	Derived Flag

SBJTSTAT (Subject Trial Status)

NCI Code: C124296, Codelist extensible: Yes

C124296 SBJTSTAT				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C25250	COMPLETED		To possess every necessary or normal part or component or step; having come or been brought to a conclusion. (NCI)	Complete
C25484	DISCONTINUED		To stop or end, permanently or temporarily.	Discontinue
C53279	ONGOING	Continuous	Remain in force or carry on without letup; keep or maintain in unaltered condition; exist in time or space without stop or interruption. (NCI)	Continue

TIMEFL (Time Imputation Flag)

NCI Code: C81226, Codelist extensible: No

C81226 TIMEFL				
NCI Code	CDISC Submission Value	CDISC Synonym	CDISC Definition	NCI Preferred Term
C81213	H		Hours Imputed: Entire time (hours, minutes and seconds) is imputed.	Hours Minutes Seconds Imputed
C81214	M		Minutes Imputed: Minutes and seconds are imputed.	Minutes Seconds Imputed
C81215	S		Seconds Imputed: Seconds are imputed.	Seconds Imputed